



\* NOTE: FOR PROPOSED WIDENING OF 6 FEET OR GREATER IN WIDTH, SEE CONSTRUCTION DETAIL R-5.1.5

PAVEMENT CONSTRUCTION FOR WIDENING 6 FEET OR LESS		
	FULL DEPTH CONSTRUCTION	PAVEMENT OVERLAY CONSTRUCTION
SURFACE:	4" HOT MIX ASPHALT (2" SURFACE COURSE MATERIAL OVER 2" BINDER COURSE MATERIAL)	2" HOT MIX ASPHALT, OR AS DIRECTED (SURFACE MATERIAL)
BASE:	8" HIGH-EARLY-STRENGTH CEMENT CONCRETE BASE COURSE	
SUBBASE:	8" GRAVEL BORROW (TYPE "B")	



CITY OF FRAMINGHAM  
DEPARTMENT OF PUBLIC WORKS

ROADWAY WIDENING AND OVERLAY  
6 FT WIDE OR LESS

DATE:  
FEB. 2010

REV:  
0

DETAIL NO.

R-5.1.6